

Nº 46616

APPLICATION FOR PERMIT

TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF NEVADA

Date of filing in State Engineer's Office..... FEB 7 1983

Returned to applicant for correction.....

Corrected application filed.....

Map filed..... FEB 7 1983 under 46615

The applicant William G. Bennett and William N. Pennington  
c/o CIRCUS-CIRCUS  
2880 Las Vegas Blvd. South, of Las Vegas,  
Nevada 89109, hereby make application for permission to appropriate the public  
waters of the State of Nevada, as hereinafter stated. (If applicant is a corporation, give date and place of incorporation; if a copartnership or association, give names of members.)

1. The source of the proposed appropriation is Infiltration wells from the Colorado River  
Name of stream, lake, spring, underground or other source
2. The amount of water applied for is 0.50 second-feet  
One second-foot equals 448.83 gals. per min.  
(a) If stored in reservoir give number of acre-feet
3. The water to be used for Quasi Municipal and domestic  
Irrigation, power, mining, manufacturing, domestic, or other use. Must limit to one use.
4. If use is for:
  - (a) Irrigation, state number of acres to be irrigated:
  - (b) Stockwater, state number and kinds of animals to be watered:
  - (c) Other use (describe fully under "No. 12. Remarks")
  - (d) Power:
    - (1) Horsepower developed:
    - (2) Point of return of water to stream
5. The water is to be diverted from its source at the following point: in Government Lot 3 Section 13,  
Describe as being within a 40-acre subdivision of public  
T32S R66E MDM from which the Southwest (SW) corner of Section 13 T32S R66E bears  
survey, and by course and distance to a section corner. If on unsurveyed land, it should be so stated.  
S 56° 30' 00" W 3430.00 feet
6. Place of use A part of Government Lots 3 and 4, Section 13 T32S R66E MDM Clark  
County, Nevada  
Describe by legal subdivision. If on unsurveyed land, it should be so stated.
7. Use will begin about Jan 1 and end about Dec 31, of each year.  
Month and Day Month and Day
8. Description of proposed works. (Under the provisions of NRS 535.010 you may be required to submit plans and specifications of your diversion or storage works.) Infiltration well system adjacent to the  
State manner in which water is to be diverted, i.e. diversion structure, ditches and  
Colorado River pumping (200 gpm pump) to pressure system  
flumes, drilled well with pump and motor, etc.
9. Estimated cost of works \$30,000

10. Estimated time required to construct works two months  
If well completed, describe works.

-----  
If well completed, describe works.

11. Estimated time required to complete the application of water to beneficial use. two years for total  
application beneficial use

12. **Remarks:** For use other than irrigation or stock watering, state number and type of units to be served or annual consumptive use. The consumptive usage planned is:

100,000 sq. ft. of Casino @ 0.30 gal/sq.ft/day

30,000 qpd

### Arcade and Game area

20,000 gpd

800 Hotel Rooms @ 100 gal/rm/day

80,000-99,999

300 seat Restaurant @ 20 gal/seat/day

6,000 gpd

~~500 seat Buffet @ 15 gal/seat/day~~

---7,500---gpc

Misc. Administration and Convention area

20,000 gpd

TOTAL

184 AF/yr

163,500 gpd

A fire sprinkler system will be installed using a diesel engine drive 3,000 gpm pump.

The usage will be minimal except in the event of a fire. The Clark County Fire Department requires 3,000 gpm for 3 hours, or 540,000 gallons, available. This is the equivalent of 1.66 Acre Feet.

By s/R. W. Bunker

Richard W. Bunker

CIRCUS-CIRCUS 2880 L.V. Blvd. South

Las Vegas, Nevada 89109

Compared b1/ kc b1/bc

Protested.....

DENIAL.....OF STATE ENGINEER

deny

**This is to certify that I have examined the foregoing application, and do hereby grant the same, subject to the following limitations and conditions:**

This application is hereby denied on the grounds that the granting of said application without the approval of the Colorado River Commission would be contrary to NRS 533.372 and therefore detrimental to the public interest.

The amount of water to be appropriated shall be limited to the amount which can be applied to beneficial use, and not to exceed \_\_\_\_\_ cubic feet per second \_\_\_\_\_

**Work must be prosecuted with reasonable diligence and be completed on or before.....**

**Proof of completion of work shall be filed before.**.....

Application of water to beneficial use shall be made on or before.....

**Proof of the application of water to beneficial use shall be filed on or before.....**

Map in support of proof of beneficial use shall be filed on or before\_\_\_\_\_.

Completion of work filed..... IN TESTIMONY WHEREOF, I, PETER G. MORROS

State Engineer of Nevada, have hereunto set my hand and the seal of

Proof of beneficial use filed.....

my office, this 17th day of November

Cultural map filed.....

Certificate No. \_\_\_\_\_ Issued \_\_\_\_\_

A.D. 19... 86

**State Engineer**